

**IN THE CLAIMS**

1. (Currently Amended) A method for supporting communications comprising:  
establishing a communications conference, the communications conference including  
a plurality of conference participants, each conference participant providing an audio stream;  
identifying audio data packets in the audio streams;  
mixing audio information from selected ones of the audio data packets to generate a  
conference audio stream;  
communicating the conference audio stream to the conference participants;  
identifying enhanced media packets embedded in at least one of the audio streams;  
and  
communicating the enhanced media packets to selected ones of the conference  
~~participants.~~ **participants;**

**wherein communicating the enhanced media packets to selected ones of the  
conference participants comprises identifying conference participants capable of using  
the enhanced media packets and communicating the enhanced media packets to the  
identified conference participants.**

2. (Original) The method of Claim 1, wherein communicating the enhanced  
media packets to selected ones of the conference participants comprises embedding the  
enhanced media packets in the conference audio stream.

3. (Original) The method of Claim 1, wherein the selected ones of the  
conference participants consist of all conference participants except a particular conference  
participant that embedded the enhanced media packets in a particular audio stream in which  
the enhanced media packets were received.

4. (Cancelled)

5. (Original) The method of Claim 1, wherein each selected one of the conference participants is operable to automatically display an enhanced media window in response to receiving the enhanced media packets.

6. (Original) The method of Claim 1, wherein the enhanced media packets comprise video packets.

7. (Currently Amended) An apparatus supporting communications comprising:  
a controller operable to establish a communications conference, the communications conference including a plurality of conference participants, each conference participant providing an audio stream, to identify audio data packets in the audio streams, to mix audio information from selected ones of the audio data packets to generate a conference audio stream, and to identify enhanced media packets embedded in at least one of the audio streams; and

an interface operable to communicate the conference audio stream to the conference participants and to communicate the enhanced media packets to selected ones of the conference participants. **participants;**

**wherein communicating the enhanced media packets to selected ones of the conference participants comprises identifying conference participants capable of using the enhanced media packets and communicating the enhanced media packets to the identified conference participants.**

8. (Original) The apparatus of Claim 7, wherein communicating the enhanced media packets to selected ones of the conference participants comprises embedding the enhanced media packets in the conference audio stream.

9. (Original) The apparatus of Claim 7, wherein the selected ones of the conference participants consist of all conference participants except a particular conference participant that embedded the enhanced media packets in a particular audio stream in which the enhanced media packets were received.

10. (Cancelled)

11. (Original) The apparatus of Claim 7, wherein each selected one of the conference participants is operable to automatically display an enhanced media window in response to receiving the enhanced media packets.

12. (Original) The apparatus of Claim 7, wherein the enhanced media packets comprise video packets.

13. (Original) A system supporting communications comprising:  
a conference bridge operable to establish a communications conference having a plurality of conference participants;  
a first conference participant having a first set of media capabilities; and  
a second conference participant operable to communicate a message identifying a second set of media capabilities associated with the second conference participant to the conference bridge;  
wherein the conference bridge is further operable to redirect the message to the plurality of conference participants; and  
wherein the first conference participant is further operable to determine whether the first set of media capabilities and the second set of media capabilities both include an enhanced media capability, and to communicate enhanced media packets to the second conference participant in response to determining that the first set of media capabilities and the second set of media capabilities both include the enhanced media capability.
14. (Original) The system of Claim 13, wherein communicating the enhanced media packets to the second conference participant comprises tunneling the enhanced media packets in a conference audio stream to the second conference participant.
15. (Original) The system of Claim 13, wherein communicating the enhanced media packets to the second conference participant comprises communicating the enhanced media packets in an enhanced media communication link to the second conference participant.
16. (Original) The system of Claim 13, wherein the conference bridge is further operable to redirect the message to selected ones of the conference participants, the selected ones of the conference participants including the first conference participant.
17. (Original) The system of Claim 13, wherein the second conference participant is further operable to automatically display an enhanced media window in response to receiving the enhanced media packets.

18. (Original) The system of Claim 13, wherein the enhanced media capability is a video capability and the enhanced media packets comprise video packets.

19. (Original) A system supporting communications comprising:  
a packet-based telephony device having a first set of media capabilities and operable to couple to a communications conference; and

a computing device coupled to the telephony device and operable to receive a message from the communications conference identifying a second set of media capabilities associated with a remote device, to determine whether the first set of media capabilities and the second set of media capabilities both include an enhanced media capability, and to communicate enhanced media packets to the remote device in response to determining that the first set of media capabilities and the second set of media capabilities both include the enhanced media capability.

20. (Original) The system of Claim 19, wherein communicating the enhanced media packets to the remote device comprises tunneling the enhanced media packets in a conference audio stream to the remote device.

21. (Original) The system of Claim 19, wherein communicating the enhanced media packets to the remote device comprises communicating the enhanced media packets in an enhanced media communication link to the remote device.

22. (Original) The system of Claim 19, wherein the conference bridge is further operable to redirect the message to selected ones of the conference participants, the selected ones of the conference participants including the first conference participant.

23. (Original) The system of Claim 19, wherein the computing device is further operable to receive enhanced media packets from the remote device and to automatically display an enhanced media window in response to receiving the enhanced media packets from the remote device.

24. (Original) The system of Claim 19, wherein the enhanced media capability is a video capability and the enhanced media packets comprise video packets.

25. (Currently Amended) A computer readable medium encoded with logic for supporting communications, the logic operable when executed to:

establish a communications conference, the communications conference including a plurality of conference participants, each conference participant providing an audio stream;

identify audio data packets in the audio streams;

mix audio information from selected ones of the audio data packets to generate a conference audio stream;

communicate the conference audio stream to the conference participants;

identify enhanced media packets embedded in at least one of the audio streams; and

communicate the enhanced media packets to selected ones of the conference participants. **participants;**

**wherein communicating the enhanced media packets to selected ones of the conference participants comprises identifying conference participants capable of using the enhanced media packets and communicating the enhanced media packets to the identified conference participants.**

26. (Previously Presented) The computer readable medium of Claim 25, wherein communicating the enhanced media packets to selected ones of the conference participants comprises embedding the enhanced media packets in the conference audio stream.

27. (Previously Presented) The computer readable medium of Claim 25, wherein the selected ones of the conference participants consist of all conference participants except a particular conference participant that embedded the enhanced media packets in a particular audio stream in which the enhanced media packets were received.

28. (Cancelled)

29. (Previously Presented) The computer readable medium of Claim 25, wherein each selected one of the conference participants is operable to automatically display an enhanced media window in response to receiving the enhanced media packets.



30. (Previously Presented) The computer readable medium of Claim 25, wherein the enhanced media packets comprise video packets.

31. (Currently Amended) A device for supporting communications comprising:  
means for establishing a communications conference, the communications conference including a plurality of conference participants, each conference participant providing an audio stream;

means for identifying audio data packets in the audio streams;

means for mixing audio information from selected ones of the audio data packets to generate a conference audio stream;

means for communicating the conference audio stream to the conference participants;

means for identifying enhanced media packets embedded in at least one of the audio streams; and

means for communicating the enhanced media packets to selected ones of the conference ~~participants~~ **participants**;

**wherein the means for communicating the enhanced media packets to selected ones of the conference participants comprises means for identifying conference participants capable of using the enhanced media packets and means for communicating the enhanced media packets to the identified conference participants.**